


Installation instructions

Elegance

Document version 1:2026.



Exploded View on sheet 2

8	2	Base plate sections 1000 c-c	Screen Wall	31168-21-D002
7	1	Glass ledge lower 1000 c-c welding	Screen Wall	31161-21
6	1	Division ledge 1000 c-c	Screen Wall	31157-21-02
5	1	Glass Ledge 1000 c-c	Screen Wall	31155-21-02
4	2	Upright Ø60x1,75x1899 End	Screen Wall H=1900	31152-01-02
3	2	RND Base cover diam 60	PTD	30670-02
2	2	Top cap Ø60 with logo	EDM Sparked, Black	10212-50
1	12	Rubber sealing 50mm		075079

Item	Qty	Title	Specification	Part number
View orientation: stekar1				
Sheet: 1 (2)		Where no tolerance is specified: SS-ISO 2768-m	Scale: 1 : 10	Cut length: Compare
ITAB		Screenwall 1900, cc1000	Weight: 17,14 kg	Date: 2023-09-04
ITAB Shop Products AB		Start Section H=1900mm PTD	Drawing no: 31207-21-02	Rev.

8	2	Base plate sections 1000 c-c	Screen Wall	31168-21-D002
7	1	Glass ledge lower 1000 c-c welding	Screen Wall	31161-21
6	1	Division ledge 1000 c-c	Screen Wall	31157-21-02
5	1	Glass Ledge 1000 c-c	Screen Wall	31155-21-02
4	2	Upright Ø60x1,75x1899 End	Screen Wall H=1900	31152-01-02
3	2	RND Base cover diam 60	PTD	30670-02
2	2	Top cap Ø60 with logo	EDM Sparked, Black	10212-50
1	12	Rubber sealing 50mm		075079

Item	Qty	Title	Specification	Part number
View orientation: stekar1				
Sheet: 2 (2)		Where no tolerance is specified: SS-ISO 2768-m	Scale: 1 : 10	Cut length: Compare
ITAB		Screenwall 1900, cc1000	Weight: 17,14 kg	Date: 2023-09-04
ITAB Shop Products AB		Start Section H=1900mm PTD	Drawing no: 31207-21-02	Rev.

